การใช้งานโปรแกรมเปลี่ยนชื่อไฟล์ Bulk Rename Utility

ส**ำหรับ** เปลี่ยนชื่อไฟล์รูปภาพ เป็น ตัวเลข เรียงจาก มากไปหาน้อย

จัดทำโดย หน่วยพัฒนาเทคโนโลยีสารสนเทศ คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่

Download โปรแกรมได้จากเว็บไซต์

http://www.bulkrenameutility.co.uk/Download.php



- เปิดโปรแกรมจากปุ่ม start->program->Bulk Rename Utility-> Bulk Rename Utility หรือ คลิ๊กขวาใน Windows Explore แล้วเลือก Bulk Rename Here
- 2. เลือก Folder ที่ต้องการจาก Tree View ด้านซ้าย
- 3. ส่วนแสดงไฟล์ด้านขวา ให้คลิ๊กเลือก และกด Ctrl A เพื่อเลือกทั้งหมดไว้

🔁 Bulk Rename Utility							
File Actions	File Actions Options Help						
	RMC4 🔺	Name 🔺	New Name	Sub Type Size Creat			
	System Volume Inf	citroen_c4-wrc-hymotion4_m2_jpg.jpg	citroen_c4-wrc-hymotion4_m2_jpg	ACDS 0 MB 3/7/			
	Temp	citroen_c4-wrc-hymotion4_m3_jpg.jpg	citroen_c4-wrc-hymotion4_m3_jpg	ACDS 0 MB 3/7/			
	001	citroen_c4-wrc-hymotion4_m4_jpg.jpg	citroen_c4-wrc-hymotion4_m4_jpg	ACDS 0 MB 3/7/			
	aa						
	bb						
	ECS_L4S5MG						
4		4		4			
RegEx (1)	RegEx (1) Rhr Repl. (3) Rhr Remove (5) Rhr Add (7) Rhr Auto Date (8) Rhr Numbering (10) Rhr Rhr						
Match	Replace	First n 0 🕂 Last n 0 🕂 Prefix	Mode None 💌 M	fode None 💌 at 0 📫			
Replace	With	From 0 + to 0 + Insert	Type Creation (Cur 🗸 S	itart 1 ÷ Incr. 1			
Include i	Ext. 🔲 Match Case	Chars Words at pos. 0	Fmt DMY F	Pad 0 ÷ Sep.			
File (2)	▼ R Case (4) ▼ R	Crop Before Suffix	Sep. Seg. B	reak 0 📫 🔽 Folder			
Name Keep	Same 💌	Digits High Trim	Ce Custom	ype Base 10 (Decimal) 💌			
		the wate II - Word oppo	Cent. Off. 0	Roman Numerals None 💌			

ตั้งค่าตัวเลือก Remove (5) เพื่อลบชื่อเดิมออก โดยกำหนดให้
 From : 1 To : 50
 จะเห็นว่า New Name เปลี่ยนเป็น .jpg

🛅 Bulk Rename Utility					
File Actions Options Help					
RMC4 🔺	Name 🔺	New Name	Sub Type Size Creat		
System Volume Inf	citroen_c4-wrc-hymotion4_m2_jpg.jpg	jpg	ACDS 0 MB 3/7/2		
	citroen_c4-wrc-hymotion4_m3_jpg.jpg	jpg	ACDS 0 MB 3/7/.		
001	citroen_c4-wrc-hymotion4_m4_jpg.jpg	.jpg	ACDS 0 MB 3/7/		
aa 📃					
bb					
ECS 14S5MG					
aiga-byte GA- *					
4 III	4 III		Þ		
RegEx (1) Repl. (3) F	Remove (5) R⊔_ Add (7)	Auto Date (8) V R	Numbering (10) R		
Match Replace	First n 0 🕂 Last n 0 🕂 Prefix	Mode None 💌	Mode None 💌 at 0 🛨		
Replace With	From 1 ÷ to 50 ÷ Insert	Type Creation (Cur 💌	Start 1 ÷ Incr. 1 ÷		
🔲 🗖 Include Ext. 📄 Match Case	Chars Words at pos.) ÷ Fmt DMY 🔻	Pad 0 ÷ Sep.		
File (2) - Case (4)	Crop Before - Suffix	Sep. Seg.	Break 0 🛨 🗌 Folder		
Name Keep 🔻 Same 👻	Digits High Trim	Custom	Type Base 10 (Decimal) 💌		
Excep.	D/S Accents Chars word	Cent Off O	Roman Numerals None 🔻		
	Sym. Lead Dots Non -				
- Move/Copy (6)	Rhr Append	Folder Name (9) ▼ B	Extension (11)		
			Same 💌		

 ตั้งค่าตัวเลือก Numbering (10) เพื่อเลือกตัวเลขเรียงจากมากไปหาน้อย โดยกำหนดให้ Mode : Prefix Start : 99 Incr. : -1 Pad : 2 จะเห็นว่า New Name เปลี่ยนเป็นตัวเลขเรียงจาก 99 98 97 .jpg

File Actions Options Help RMC4 Name New Name Sub Type Size Creat System Volume Inf Temp ACDS 0 MB 3/7/: 000 000 Citroen_c4-wrc-hymotion4_m3.jpg.jpg 98.jpg ACDS 0 MB 3/7/: 000 001 aa bb citroen_c4-wrc-hymotion4_m4.jpg.jpg 97.jpg ACDS 0 MB 3/7/: RegEx (1) v R Replace First n 0 ÷ Last n + Hill Node None v Node Prefix< at 0 + Match Replace With First n 0 ÷ Last n 0 ÷ + Frefix Node None v Node Prefix< at 0 +	🔁 Bulk Rename Utility					
RMC4 System Volume Inf Temp 000 001 002 003 004 005 Cc ECS_L4S5MG 006 007 008 017 020 020 020	File Actions Options Help					
System Volume Inf Temp ACDS 0 MB 3/7/: Temp 000 001 ACDS 0 MB 3/7/: 001 aa ab bb Crop ect-wrc-hymotion4_m4_jpg.jpg 97 jpg ACDS 0 MB 3/7/: 001 aa ACDS 0 MB 3/7/: 001 aa bb ccroen_c4-wrc-hymotion4_m4_jpg.jpg 97 jpg ACDS 0 MB 3/7/: Bbb ccc ECS_L4S5MG 0 MB 3/7/: 0 MB 3/7/: Match Replace First n 0 + Last n 0 + Prefix Mode None + Mode Prefix + at 0 + Match Replace With Crop Before + Crop Before + Suffix Sep. Seg. Sep. Seg. File (2) - V R Case (4) V R Digits High Trim Word Space Suffix Sep. Seg. Folder Name Keep + Same + Digits High Trim Word Space Word Space Type Base 10 (Decimal) +	RMC4	Name 🔺	New N	lame	Sub Type	Size Creat
ACDS 0 MB 3/7/. 000 000 000 000 000 001 001 001 001 000 001 001 000 001 000 000 000 001 001 001 001 000 000 000 001 001 000 000 000 000 000 000 001 001 000	System Volume Inf	citroen_c4-wrc-hymotion4_m2_jpg;	.jpg 99.jpg		ACDS	0 MB 3/7/
ACDS 0 MB ACDS 0 MB <td></td> <td>citroen_c4-wrc-hymotion4_m3_jpg.</td> <td>.jpg 98.jpg</td> <td></td> <td>ACDS</td> <td>0 MB 3/7/</td>		citroen_c4-wrc-hymotion4_m3_jpg.	.jpg 98.jpg		ACDS	0 MB 3/7/
aa bb cc ECS_L4S5MG gioa-byte GA.* a Match Replace With From 1 ÷ to 50 ÷ Include Ext. Match Case File (2) Vith Digits High Digits High Vord Space Word Space Vord Space Vord Space Vord Space	001	citroen_c4-wrc-hymotion4_m4_jpg;	.jpg 97.jpg		ACDS	0 MB 3/7/
bb cc ECS_L4S5MG gioa-byte GA- a a RegEx (1) P Repl. (3) R Replace First n With First n From 1 to Chars Words Include Ext. Match Case File (2) R Case (4) Crop Before Digits High Digits High Digits Chars Word Space Custom	66					
RegEx (1) Repl. (3) Remove (5) Remove (7) Replace Replace Numbering (10) Replace Match Replace With First n Last n Prefix Node None Mode Numbering (10) R Include Ext. Match Case From 1 to 50 Insert Type Type Start 99 Incr. 1 + File (2) R Case (4) R Cop Before Suffix Sep. Seg. Break Folder Name Keep Same Digits High Trim Word Space Word Space Custom Type Base 10 (Decimal) Type	bb					
RegEx (1) R Repl. (3) R Remove (5) R Add (7) R Auto Date (8) R Numbering (10) R Match Replace With First n 1 to 50 Insert Type Creation (Cur Node Node Net Start 99 Incr. 1	ECS_L4S5MG					
RegEx (1) Repl. (3) Remove (5) R Add (7) R Auto Date (8) R Numbering (10) R Match Replace With First n 1 to 50 Insert Mode None Mode Mode Prefix at 0 1	aiaa-byte GA- 🄻					
RegEx (1) Replace First n Case (4) Replace First n Cop Before Same Digits High Trim Add (7) R						
Match Replace First n U Last n U Prefix Mode None Mode Mode Prefix at U at U <td>- RegEX (1) * H - Repl. (3) *</td> <td></td> <td></td> <td>Auto Date (8)</td> <td>Numbering (10)</td> <td></td>	- RegEX (1) * H - Repl. (3) *			Auto Date (8)	Numbering (10)	
Replace With From 1 to 50 Insert Type Creation (Cur Start 99 Incr. 1 + Include Ext. Match Case Chars Words at pos. 0 + Fmt DMY Pad 2 + Sep. Pad 2 + Sep. Folder Name Keep Same Digits High Trim Word Space Custom Type Base 10 (Decimal) +	Match Replace	First n U T Last n U	Prefix	Mode None	1ode Prefix 💌	at 0
Include Ext. Match Case Chars Words at pos. 0 Fmt DMY Pad 2 Sep. File (2) R Crop Before Suffix Sep. Sep. Break 0 Folder Name Keep Same Digits High Trim Word Space Custom Type Base 10 (Decimal) Image: Comparison of the space	Replace With	From 1 ÷ to 50 ÷		Type Creation (Cur 💌	itart 99	cr. 1
File (2) - R Crop Before Suffix Sep. Seg. Break 0 Folder Name Keep Same Digits High Trim Custom Type Base 10 (Decimal) Image: Custom	🔲 Include Ext. 📃 Match Case	Chars Words	at pos. 0	Fmt DMY 💌 F	'ad 2 ÷ Se	эр.
Name Keep Same Digits High Trim Digits Digits High Trim Digits Digits Custom Type Base 10 (Decimal) Image: Custom Image: Custom	File (2) - ▼ R Case (4) ▼	Crop Before -	Suffix	Sep. Seg. B	Sreak 0	Folder
	Name Keep 💌 Same 💌	Digits High Trim	Word Space	Custom	ype Base 10 (Deci	imal) 💌
Excep. Sym. Lead Dots None V	Excep.	Sum Lead Dots Non		Cent. Off. 0 🕂 F	Roman Numerals	None 💌
Mayo (Comy (5)	Maua (Camu (C)		Append Folder N		Futoncion (11)	교민
			-Append Folder N	Levels 1	Extension (11)-	* <u>_</u>

6. ขั้นตอนสุดท้าย คือ การกดปุ่ม Rename ที่มุมขวาล่าง จะมีหน้าต่างยืนยันให้กด OK 2 ครั้ง

Elle Actions Options Help Regex Name Name Name Name Size Creat System Volume Inf 199 jpg 99 jpg ACDS 0 MB 3/7/r. 000 000 001 aa 97 jpg ACDS 0 MB 3/7/r. 001 aa aa bb occ CC ECS_L435MG NB 3/7/r. RegEx (1) R Replace First n 1 Last n 1 Prefix None Node None Node None None Prefix None None Folder Suffix Suffix Suffix Sep. Same None	The Bulk Rename Utility					
RMC4 Name Name Size Creat System Volume Inf 99 jpg 99 jpg ACDS 0 MB 3/7/: 99 jpg 99 jpg ACDS 0 MB 3/7/: 0 MB 3/7/: 000 001 aa bb Ccc 0 MB 3/7/: 0 MB 3/7/: 001 aa bb Ccc CCS_L4S5MG 0 MB 3/7/: 0 MB 3/7/: Match Replace First n 0 ÷ Last n + Prefix Mode None ▼ Numbering (10) ▼ P Match Replace With Chars Vords None ▼ Start 93 ÷ Incr. 1 ÷ Include Ext. Match Case Cop Before ▼ Suffix Sep. Sep. Sep. Sep. Sep. Sep. Sep. Folder Type Base 10 (Decimal) ▼ Roman Numerals None ▼ Name Xeep. Sym. Lead Dots Non ▼ Append Folder Name (9) ▼ R Extension (11) ▼ R None ▼ 1 ÷ Sep. Non ▼ Name None ▼ Sep. Levels 1 ÷ Same ▼	File Actions Options Help					
System Volume Inf Image 99 jpg ACDS 0 MB 3/7/: Temp 98 jpg 98 jpg 98 jpg ACDS 0 MB 3/7/: 000 001 aa bb ACDS 0 MB 3/7/: RegEx (1) F Repl. (3) F Remove (5) F Add (7) F Auto Date (8) F Numbering (10) F Match Replace First n 0 Last n 1 Prefix Insert Node Prefix at 0 1 Include Ext. Match Case Crop Before Crop Before Suffix Sep. Seg. Seg. Folder Name Keep Same Ibigts High Trim D/: Suffix Custom Roman Numerals None Mone 1 None 1 Sep. Replace F Same Same Same Same Same Same Same Folder Name None 1 Sep. R Append Folder Name None F Same Same Same	RMC4 🔺	Name 🔺	New Name	Sub Type Size Creat		
Image: September 1 Image: September 2 Sep	System Volume Inf	pqj.pg	99.jpg	ACDS 0 MB 3/7/2		
OOD1 aa bb cc ECS_L435MG aa bb cc ECS_L435MG aa maa bb Cc ECS_L435MG Galabote GA.* aa RegEx (1) Ø R Replace With Fist n 0 Fist n 0 Last n 0 From 1 to 50 Chars Words Chars Words Crop Before • Suffix Suffix Sep. Sep. Seg. Cent. Off. 0 Mone • 1 Sep. Mone • 1 Sep. Sep. Levels 1 Sep. Sep. Sep. Levels 1 Same • Same • None • 1 Sep. Sep. Levels 1 Same • Same • Path Reset Reset Reset Remanne Reset Path Path		100 ggi 88 jpg	98.jpg	ACDS 0 MB 3/7/.		
aa bb cc ECS_L435MG giaa-bvte GA-* * RegEx (1) ~ R Repl. (3) ~ R Match Replace With - Include Ext. Match Case File (2) - ~ R Case (4) ~ R Digits High Digits High D/S Accents Same Sym. Lead Dots None 1 ÷ None 1 ÷ None 1 ÷ Sep. Cent. Off Remove (5) Pad 2 ÷ Same Digits Digits High D/S Accents None 1 ÷ None 1 ÷ None 1 ÷ Sym. Lead Dots Non Name None Sep. Levels Base Same Base Same Path Reset Reset Reapone	001	100 97.jpg	97.jpg	ACDS 0 MB 3/7/		
bb cc ECS_L4S5MG ciaabvte GA: * Match Replace With First n 0 Last n 0 From 1 to 50 Include Ext. Match Case Match Case Cop Before • Digits High Digits High Digits High Vord Space Cent. Off. 0 Move/Copy (6) None • None • 1 Selections (12) R	🚺 aa					
CC ECS_L4S5MG aica-byte GAI RegEx (1) R Repl. (3) R Match Replace With First n Include Ext. Match Case File (2) R Case (4) R Digits High Digits High Digits High Digits High Digits Non Accents Chars Word Space Cent. Off. Move/Copy (6) Replace None 1 Sep. Sep. Levels 1 Sep. Sep. Levels 1 Reset Same Path Reset	bb					
RegEx (1) Repl. (3) Replace Replace <td></td> <td></td> <td></td> <td></td>						
Image: Selections (12) Image: Selections (12) Add (7) RegEx (1) <pregex (1)<="" p=""> <pregex (1)<="" p=""> <pregex (1)<="" p=""> <pregex (1)<="" p=""> <pre< td=""><td>aiaa-byte GA- ▼</td><td></td><td></td><td></td></pre<></pregex></pregex></pregex></pregex>	aiaa-byte GA- ▼					
RegEx (1) Replace Remove (5) R Add (7) R Auto Date (8) R Numbering (10) R Match Replace With Insert Mode None Mode None Mode None None </td <td>4</td> <td>4</td> <td>III.</td> <td>÷</td>	4	4	III.	÷		
Match Replace First n 0 Last n 0 Prefix Mode None Mode Mode Prefix at 0 1 Include Ext. Match Case From 1 to 50 Insert Insert Type Creation (Cur Start 99 Incr. 1 + Include Ext. Match Case Crop Before Crop Suffix Suffix Sep. Seg. Break 0 + Folder Name Keep Same Digits High Trim D/S Accents Chars Word Space Custom Base 10 (Decimal) Image Move/Copy (6) Sym. Lead Dots Non None Sep. Levels 1 Same Same Same Image Same Same Same Same Same Same Reset Re	RegEx (1) Repl. (3) Rh Remove (5) Rh Add (7) Rh Auto Date (8) Rh Numbering (10) Rh					
Replace With From 1 to 50 Insert Type Creation (Cur Start 99 Incr. 1 Pad 2 Sep. Include Ext. Match Case Crop Before Suffix Sep. Sep. Sep. Sep. Bease 10 (Decimal) Pad 2 Sep. Break 0 Folder Name Keep Same Digits High Trim Word Space Custom Type Base 10 (Decimal) Type Base 10 (Decimal) Type Base 10 (Decimal) Roman Numerals None Move/Copy (6) Sym. Lead Dots Non R Append Folder Name (9) R Extension (11) R Selections (12) Sep. Levels 1 Same Same Reset R	Match Replace	First n 0 🛨 Last n 0 🛨	Prefix Mode None 💌	Mode Prefix 💌 at 0 📫		
Include Ext. Match Case Chars Words at pos. 0 + Fmt DMY Pad 2 + Sep. Break 0 + Folder Name Keep Same Image: Cope Before Image: Cope Before Suffix Sep. Seg. Seg. Break 0 + Folder Name Keep Same Digits High Trim D/S Accents Chars Word Space Custom Digits None Roman Numerals None Reset Reset Rename Selections (12) More Head Head Head Head Head Reset Rename	Replace With	From 1 ÷ to 50 ÷	Insert Type Creation (Cur 👻	Start 99 + Incr. 1		
File (2) R Crop Before Image: Suffix Sep. Seg. Break Image: Suffix Type Base 10 (Decimal) Image: Suffix	🗆 Include Ext. 🛛 🗖 Match Case	Chars Words	at pos. 0 🛨 Fmt DMY 🔻	Pad 2 ÷ Sep.		
Name Keep Same Digits High Trim D/S Accents Chars Word Space Custom Type Base 10 (Decimal) Move/Copy (6) Sym. Lead Dots Non Reset Roman Numerals None None 1 Sep. None Sep. Levels Same Same Selections (12) Sep. Sep. New Location (13) Reset Reset Rename	File (2) - Rhr Case (4) R	Crop Before 💌	Suffix Sep Seg	Break 0 🔆 🗌 Folder		
Maine D/S Accents Chars Word Space Cent. Off. 0 Roman Numerals None Move/Copy (6) Sym. Lead Dots Non R Append Folder Name (9) R Extension (11) R None 1 Sep. Name None Sep. Levels Same R Selections (12) Sep. Same R Reset Reset Rename	Name Keep V Same V	🗖 Digits 🗌 High 🔲 Trim	Custom	Type Base 10 (Decimal) 🔻		
Move/Copy (6) Image: September 2010	Excep.	D/S Accents Chars	Word Space	Roman Numerals None -		
Move/Copy (6) Image: Sep. Append Folder Name (9) Image: Sep. Extension (11) Image: Sep. None 1 1 Sep. Sep. Levels 1 Same		Sym. Lead Dots Non 👻				
None I Sep. Name None Sep. Levels I Same Selections (12) New Location (13) R Reset Reset Reset	Move/Copy (6)		Append Folder Name (9)	Extension (11) R		
Selections (12)	None 💌 1 🕂 None 🗨	• 1 🕂 Sep.	Name None VSep. Levels 1	Same 💌		
Path Rename	Selections (12) Rh New Location (13) Rh					
			Path			

The End.